

2	u	with cyclized	78-193	u
no 88-89				

- 2mg peptide were dissolved in 250 μ l DAW

- index 3911

- fixed 1h with homogenizer

- 0.5 ml solution was injected in each rabbit

Note: Both peptides were difficult to dissolve.
" " were not HPLC purified.

Injection of 2 rabbits: linear TGR- β peptide

" " Cyclic " "

" " P.G. peptide

Procedure

except Freund's incomplete adjuvant was used

For Wayne: KLN-peptide was already coupled
I only mixed to F.i. adjuv; mix 1h 4°C
inject 0.5 ml / rabbit.

Rabbits n° 1284 for P.G. AUF 1385
1285

ANIMAL PROCEDURE REQUEST

(For procedures to be performed by Animal Facility personnel)
Return this form to the Animal Facility Office.

LJCRF

TODAY'S DATE: 12/7/88

Principal Investigator E. RUSLAHTI

LUCIA R. LANGVINO

Investigator/Technician

Phone

230

Lab No.

Lab No.

This procedure relates to the project outlined on Animal Usage Form No.

Date or Dates on which this procedure is required (please allow 7 days for scheduling):

1 12/13/88 50 ml (If more than 8 procedures are required, attach a second form)

2 12/16/88 " " " " " "

3 12/21/88 Est. 100ml (second form)

4

Describe the procedure(s) required:

Vol. of blood to be collected each procedure:

ml.

Injection

6 rabbits

2

PCR

2

TecFp

Linear Appl.

2

*

Cydic

"